

## SET Backpack Module Machine Accidents, incl. Tool Kit



**Order number:** ST-01300

**supplied with:**

rescue-tec Material and Equipment Backpack (TA-02310.B)

rescue-tec Inside Module Machine Accidents (TA-02760)

Tool Kit Machine Accidents, 16 pieces (TO-02645)

PETZL Headlamp PIXA 2 (TL-05060)

rescue-tec permanent Marker, colour: red (AS-02020.R)

rescue-tec permanent Marker, colour: yellow (AS-02020.Y)

Emergency Shear ROBIN Safety Boy (EH-05065)

Söhnngen Immediate Cold Compress (EH-05110)

total weight: approx. 10.9 kg

**rescue-tec Material and Equipment Backpack**

material outside: cordura 1000D, black

material inside: pvc coated

dimensions: 56 x 37 x 21 cm

volume: 35 l

weight: 3.2 kg

**rescue-tec Inside Module Machine Accidents (TA-02760)**

The modul for the fire brigade backpacks allow materials and equipment to be clearly arranged. By using the partition walls the backpack can be divided in several partitions. So it is possible to take the tools quickly and easily out. It has inside pockets to store and take out practical tool groups combined.

**Tool Kit Machine Accidents**

16 pieces quality tools

supplied with:

**Stahlwille 12921N telescope mirror**

length: 285-725 mm

diameter: 50 mm

**Halder Fitter's and Soft Face Hammer FERROPLEX**

Combined fitter's and soft face hammer FERROPLEX

- hammer head made from high quality tempered steel
- nylon insert interchangeable
- permanent steel pipe handle
- steel tube handle with ergonomically shaped rubber grip

total length: 295 mm

head diameter: 35 mm

head length: 104 mm

**Gedore Open-End Wrench Set, 5-teilig**

- matt chrome plated
- forged
- angled at 15°
- working angle 7° from 8 to 15 mm, 6° from 16 to 19 mm
- delivery in plastic box

supplied with:

8 mm, 10 mm, 13 mm, 17 mm, 19 mm

material: GEDORE vanadium steel 31CrV3

**Vise-Grip Locking Pliers**

Locking pliers with bent mouth.

- wire cutter integrated
- setting the span and the clamping pressure by adjusting screw

- ideal for gripping and screwing round tubes or screws

material pliers body: high-alloyed steel

length: 175 mm

span: 38 mm

**Knipex Pantograph Pliers 200 mm**

Pantograph pliers with 40° bent, heavy duty, torsion tolerant and elastic tips. Polished head, handles with plastic sheaths.

- flat-round, long, pointed cheeks
- serrated gripping surfaces

material: Vanadium electric steel

length: 200 mm

DIN ISO 5745

**Knipex Pliers Wrench 180 mm**

- pliers chrome plated
- pliers and wrench in one tool
- smooth, parallel gripper jaws for working on sensitive surfaces
- infinitely adjustable wrench width adjustment for metric and imperial workpieces
- excellent for gripping, holding, pressing and bending workpieces

material: chrome vanadium electric steel

for pipe diameter: 1 3/8 inch

for nuts: 35 mm

length: 180 mm

DIN ISO 5743

**Hazet Mounting Lever 396 mm**

- I-beam section for high stability

material: chrome vanadium steel

length: 396 mm

**Forum Socket Set 1/4 Zoll, 19 parts**

supplied with:

lever reversible ratchet with 72 teeth

hexagonal socket wrench insert 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm

extension 50 mm

extension 150 mm

square handle

T-handle with slider

universal joint

**Wera Screwdriver Hexagonal PH 1 x 80 mm**

- hexagonal blade, continuous
- striking cap
- high quality bit material
- Nicromatt
- Black-Point-Tip
- Kraftform Plus handle
- hexagonal roll-off protection

length: 178 mm

size: PH 1

**Wera Screwdriver Hexagonal PH 3 x 150 mm**

- hexagonal blade, continuous
- striking cap
- high quality bit material
- Nicromatt
- Black-Point-Tip
- Kraftform Plus handle
- hexagonal roll-off protection

length: 262 mm

size: PH 3

**Knipex Side Cutter 180 mm**

High performance side cutter TwinForce

Advantage: 50% savings in power due to optimum transmission ratio by means of double-joint design compared to conventional side cutters of the same length.

- polished head
  - handles with multi-component plastic sleeves
  - cutting shock absorption to protect the hand
- material: chrome vanadium high performance steel

length: 180 mm

**Erdi Folding Knife 160 mm**

- fixed blade
- comfort plastic handle
- magazine for replacement blades
- thumb pillow for max. contact pressure
- belt clip



supplied with:  
5 spare blades  
length: 160 mm

**Bessey One-Handed Clamp EZS 300 x 80 mm**

- slide rail made of special steel
- housing and bracket made of glass fiber reinforced polyamide
- multi-component plastic handle
- handle with pump lever
- tool-free replaceable for spreading
- spreading and clamping with one hand only
- clamping force up to 2000 N
- suitable for one-handed and overhead work

supplied with:

2 plastic protective caps

span: 300 mm

spreading width: 170-510 mm

**Kukko Nut Splitter size 2**

For breaking tight or over-tightened nuts without damaging the threaded bolt.

- for tight nuts of quality class 5 and 6
- Pullback
- easy turning back of the chisel from the broken nut

for nut sizes SW: 19-27

**Knipex Compact Bolt Cutter CoBolt 200 mm**

The ingenious transmission mechanism ensures extremely favorable leverage with very little friction. The hand force is amplified up to 30 times.

- precision cutting for soft and hard wire as well as piano wire
  - cuts components such as bolts, nails, rivets, etc. up to Ø 5.2 mm
  - particularly high cutting performance with less effort through highly efficient joint construction
  - gripping surface under the joint for gripping and pulling wires from Ø 1.0 mm
  - black atramentised, handles covered with plastic material: chrome vanadium high performance steel
- length: 200 mm

**Wiha Bit Magazine Catch Stubby**

- permanent magnet
- SoftFinish multi-component handle
- roll-off protection
- suitable for hexagonal drive bits to C 6.3

supplied with:

bit for slotted screws 6.5 mm

bit for slotted screws 4,5, 8 mm



bit for Phillips screws PH 1, PH 2, PH 3  
material: chrome vanadium steel

### **PETZL Headlamp PIXA 2 (TL-05060)**

The PIXA 2 is a robust headlight which makes a comfortable working in a close range and a safe movement possible.

CONSTANT LIGHTING technology: The luminosity does not decrease with slackening batteries.

lamp: LED

luminance: max. 80 lm

luminous range: 55 m

light beam: mixed

more operation possibilities: Ni-MH and Lithium-batteries

waterproof: IP67

ATEX: CE0080, Ex II 3 GD, Ex nAnL IIB T4

### **rescue-tec permanent Marker, colour: red (AS-02020.R)**

### **rescue-tec permanent Marker, colour: yellow (AS-02020.Y)**

The marker serves for signing especially on dark, rough and dirty surfaces. It writes like chalk but with a viscous, opaque paste, which dries up lightfast, water- and scratch-resistant after a short period. The marker has a hole for a elastic safety strip to secure it against lost.

length: 13.5 cm

colours: red, yellow

### **Emergency Shear ROBIN Safety Boy (EH-05065)**

Ideal for

- smashing car windows
- cutting-through safety belts
- cutting clothes in case of injury

dimensions: 24 x 11 cm

### **Söhngen Immediate Cold Compress (EH-05110)**

Simply apply pressure and the bag activates itself in a matter of seconds.

Intensive and effective cold therapy treatment.

disposable

dimensions: 21 x 15 cm