

INSTRUCTIONS FOR USE

GUIDE INFORMATION FOR USE



JUNIOR

5-FINGER GLOVE ACCORDING TO EN 420:2003+A1:2009 + EN 388:2016

- Palm out of Clarino®
- Back of the hand out of Spantex®, blue
- palm protection with silicone padding
- fingertips and palm reinforced with Rubbertec trimmings
- knuckle protection
- with knitted cuff
- total length approx. 26 cm (size 10)

The protective gloves meet the requirements of the European PPE Regulation (EU) 2016/425 and protect against mechanical risks (abrasion, cut, tear, puncture resistance), which are covered in the standards on which the certification is based. No protection against the impact of large molten metals - category III.

The standards applied are EN 388:2016 (protective gloves for protection against mechanical risks) and EN 420:2003+A1:2009 (protective gloves - general requirements).

DESCRIPTION

The JUNIOR work glove offers junior firefighters a high level of dexterity, good grip security and optimum tactility. An anatomically arranged gel padding in the palm area dampens vibrations and shocks. An elastic knit cuff provides additional wearing comfort.

The youth firefighting glove is not suitable for firefighting and provides only light mechanical protection. The gloves comply with the essential health and safety requirements of Regulation (EU) 2016/425.

APPLICATION

Check that the gloves offer sufficient protection for the work you have to do. Choose a pair of gloves according to your hand size.

Observe the following points when using the gloves:

1. The glove does not protect against chemical and bacteriological hazards.
2. Do not use these gloves near machines with rotating parts, otherwise your hand could be pulled into the machine.
3. Oil, grease and moisture reduce cut resistance, increase the flammability of all gloves and should therefore be avoided.

TECHNICAL DATA

EN 388:2016+A1:2018



2122X

	REQUEST	RESULT
Abrasion resistance	3	2
Cut resistance	2	1
Tear resistance	3	2
Puncture resistance	3	2
TDM:Cut	B	X




1= lowest performance levels; 4 (5) = highest performance levels (A= lowest and F= highest performance levels linear cut resistance); 0 = indicates that the glove falls below the minimum performance level for the given individual hazard. X = indicates that the glove has not been submitted to the test or the test method appears not to be suitable / applicable.

INSTRUCTIONS FOR USE GUIDE INFORMATION FOR USE



JUNIOR

5-FINGER GLOVE ACCORDING TO EN 420:2003+A1:2009 + EN 388:2016

CERTIFICATION	Notified certification body for personal protective equipment: [PSA]: CNC Conformity 'n Compliance Services Grosse Garten Str. 5 48529 Nordhorn Prüfbericht-Nr.: EC/4492/18
GLOVE SIZES	Available in sizes 1 - 12
STORAGE	Store in a ventilated room, preferably protected from light and dry
LIABILITY	We accept no liability for damage caused by the non-targeted use of the PPE or by any use that does not comply 100% with the instructions for use given below. Please contact the manufacturer for further information regarding care instructions, repair and safe disposal methods.
GENERAL INFORMATION	The results stated in the test report are based on laboratory tests carried out exclusively on unused gloves. Transferring the results to gloves after care treatment requires appropriate tests to be carried out. The glove offers protection against puncturing with pointed objects in the sense of DIN EN 388:2016, but there is no protection against pointed objects such as injection needles. The glove offers some protection against accidental contact with chemicals, but is not a protective glove against chemicals and micro organisms in the sense of DIN EN 374-1:2016+A1:2018. The gloves do not contain any substances known to cause allergies. Mechanical level of performance refers to the palm of the glove. Gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer. Performance levels are only applicable to the whole product including all layers.
CHECK	An optical check for dirt and damage is essential. Damaged gloves must be discarded. The expiration time depends on the degree of wear, use and area of application. The clothing has a shelf life of at least 8 years from the date of manufacture. Non compliance with the notes/regulations listed in this manual and individual stress during use may reduce the durability of PPE. It is not known that performance levels according to EN 388:2016 change after up to 8 years of appropriate storage. The product complies with the applicable essential safety requirements of Regulation [EU] 2016/425. This is a category II
SIZE MARKING	On the label
EN - NORM	EN 420:2003+A1:2009 + EN 388:2016+A1:2018
PICTOGRAM	EN 420:2003+A1:2009 EN 388: 2016+A1:2018    2122X
CARE AND REPAIR	The protective gloves JUNIOR must not be chemically cleaned, washed or treated with bleach. Do not manoeuvre gloves that are so severely damaged and no longer offer protection. The protective gloves used must be disposed of at a suitable time depending on their use.
DECLARATION OF CONFORMITY	You can find the declaration of conformity at penkert-gmbh.de